

**Pvision** High Definition LCD TV

PLi Series-2 - 18.5" (46.99 cm)



r e p l i c a t e   r e a l i t y

## THE NEW PLi SERIES-2

A Classic slim bezel design with a full gloss cabinet and the latest MStar M16 video processing solution are just part of what makes the new PLi Series unique.

The ability to handle VGA signals up to the native panel resolution and the multiple HDMI inputs bring it right to the forefront of the High Definition digital era. A USB input to listen to MP3s or or view your JPEG images is provided.

The unit sports a black speaker grille which finishes off the cosmetic appeal with a touch of class.



# P Vision

High Definition LCD TV

www.pvision.tv

CATEGORY	DETAIL	PLI185TG-2
SERIES		PLI SERIES
SIZE		18.5"
DISPLAY	DIAGONAL SIZE	46.99 CM
	HDTV COMPATIBILITY	HD READY
	ASPECT RATIO	16 : 9
	DISPLAY COLOUR	10 BIT (D)*
	BRIGHTNESS	300 CD/M <sup>2</sup>
	CONTRAST RATIO	50,000 : 1**
	VIEWING ANGLE	170° H / 160° V
	RESOLUTION	1366 (H) X 768 (V)
	RESPONSE TIME	5*** / 8**** MS
LAMP LIFE	100,000 HOURS	
PICTURE	VIDEO CAPABILITY	1080P/1080i/720P/576P/480P/480i
	PICTURE MODE	DYNAMIC\STANDARD\SOFT\PERSONAL
	VARIABLE ASPECT RATIO	16:9 \ 4:3 \ FULL \ MOVIE
	SLEEP TIMER	YES
	DIGITAL COMB FILTER	3D
	FLESH TONE CORRECTION	YES
TV FUNCTION	TUNER	YES
	TV SYSTEM	PAL/SECAM BG/DK/K'/I/I'/L/L'
	RF SIGNAL	VHF,UHF,CATV
SOUND SYSTEM	AUDIO OUTPUT	3W X 2 (RMS) (10% THD)
	SOUND ENHANCEMENT	STANDARD\MUSIC\NEWS\PERSONAL
GENERAL FEATURES	MCS (MULTIMEDIA CARD SLOT)	NO
	USB (AUDIO & PHOTO)	YES
	OSD LANGUAGE	ENGLISH
INPUT TERMINALS	ANTENNA (RF)	1 REAR
	COMPOSITE - CVBS	1 REAR \ 1 SIDE
	COMPONENT (Y, PB, PR)	1 REAR
	HDMI - HDCP INTERFACE	2 REAR
	VGA - PC	1 REAR
	VGA STEREO AUDIO (MINI-JACK)	YES
	S-VIDEO + AUDIO (L / R)	1 REAR
	AUDIO (L / R)	1 REAR
OUTPUT TERMINALS	COMPOSITE	1 REAR
	AUDIO (L / R)	1 REAR
	HEADPHONE JACK	YES
	SUB-WOOFER	NO
POWER	REQUIREMENT	100 - 240V AC 50/60 HZ VIA 12V DC ADAPTER
	WORKING CONSUMPTION	65W
	STANDBY CONSUMPTION	< 2W
ACCESSORIES	USER MANUAL	YES
	REMOTE CONTROL	YES
	BATTERIES	YES
WEIGHT (KG)	NET (WITHOUT STAND)	4.5 KG
	GROSS (INCLUDING CARTON BOX)	5.5 KG
DIMENSION (W X H X D) (MM)	WITHOUT STAND	453 X 330 X 70
	CARTON BOX	510 X 425 X 120
	WALL MOUNT	75MM X 75MM
DETAILED EXPLANATION	*10 BIT (D) - 8 BIT + DITHERING ** ADAPTIVE CONTRAST RATIO *** GTG - GREY TO GREY **** MPRT - MOTION PICTURE RESPONSE TIME	

**Pvision** High Definition LCD TV

PLi Series-2

32" (81.28cm) | 42" (106.68cm)



r e p l i c a t e   r e a l i t y

## THE NEW PLI SERIES-2

A Classic slim bezel design with a full gloss cabinet and the latest MStar M16 video processing solution are just part of what makes the new PLi Series unique.

The ability to handle VGA signals up to the native panel resolution and the multiple HDMI inputs bring it right to the forefront of the High Definition digital era. Both the 32" and 42" models offer a USB input to listen to MP3s or or view your JPEG images.

The PLi42THD sports a dark grey metal speaker grille which finishes off the cosmetic appeal with a touch of class.



# P Vision

High Definition LCD TV

www.pvision.tv

CATEGORY	DETAIL	PLI32TG-2	PLI42THD-2
SERIES		PLI SERIES	PLI SERIES
SIZE		32"	42"
DISPLAY	DIAGONAL SIZE	81.28 CM	106.81 CM
	HDTV COMPATIBILITY	HD READY	FULL HD
	ASPECT RATIO	16 : 9	16 : 9
	DISPLAY COLOUR	10 BIT (D)*	10 BIT (D)*
	BRIGHTNESS	500 CD/M <sup>2</sup>	500 CD/M <sup>2</sup>
	CONTRAST RATIO	100,000 : 1**	100,000 : 1**
	VIEWING ANGLE	178° H / 178° V	178° H / 178° V
	RESOLUTION	1366 (H) X 768 (V)	1920 (H) X 1080 (V)
	RESPONSE TIME	5*** / 8**** MS	5*** / 8**** MS
	LAMP LIFE	100,000 HOURS	100,000 HOURS
	PICTURE	VIDEO CAPABILITY	1080P/1080i/720P/576P/480P/480i
PICTURE MODE		DYNAMIC\STANDARD\SOFT\PERSONAL	DYNAMIC\STANDARD\SOFT\PERSONAL
VARIABLE ASPECT RATIO		16:9 \ 4:3 \ FULL \ MOVIE	16:9 \ 4:3 \ FULL \ MOVIE
SLEEP TIMER		YES	YES
DIGITAL COMB FILTER		3D	3D
FLESH TONE CORRECTION		YES	YES
TV FUNCTION	TUNER	YES	YES
	TV SYSTEM	PAL/SECAM BG/DK/K'/I/I'/L/L'	PAL/SECAM BG/DK/K'/I/I'/L/L'
	RF SIGNAL	VHF,UHF,CATV	VHF,UHF,CATV
SOUND SYSTEM	AUDIO OUTPUT	10W x 2 (RMS) (10% THD)	10W x 2 (RMS) (10% THD)
	SOUND ENHANCEMENT	STANDARD\MUSIC\NEWS\PERSONAL	STANDARD\MUSIC\NEWS\PERSONAL
GENERAL FEATURES	MCS (MULTIMEDIA CARD SLOT)	NO	NO
	USB (AUDIO & PHOTO)	YES	YES
	OSD LANGUAGE	ENGLISH	ENGLISH
INPUT TERMINALS	ANTENNA (RF)	1 REAR	1 REAR
	COMPOSITE - CVBS	1 REAR \ 1 SIDE	1 REAR \ 1 SIDE
	COMPONENT (Y, PB, PR)	1 REAR	1 REAR
	HDMI - HDCP INTERFACE	2 REAR	2 REAR
	VGA - PC	1 REAR	1 REAR
	VGA STEREO AUDIO (MINI-JACK)	YES	YES
	S-VIDEO + AUDIO (L / R)	1 REAR	1 REAR
	AUDIO (L / R)	1 REAR	1 REAR
OUTPUT TERMINALS	COMPOSITE	1 REAR	1 REAR
	AUDIO (L / R)	1 REAR	1 REAR
	HEADPHONE JACK	YES	YES
	SUB-WOOFER	NO	NO
POWER	REQUIREMENT	100 - 240V AC 50/60 HZ	100 - 240V AC 50/60 HZ
	WORKING CONSUMPTION	200W	240W
	STANDBY CONSUMPTION	< 1.5W	< 1.5W
ACCESSORIES	USER MANUAL	YES	YES
	REMOTE CONTROL	YES	YES
	BATTERIES	YES	YES
WEIGHT (KG)	NET (WITH STAND / WITHOUT STAND)	12.5 KG / 11.6 KG	19.5 KG / 18.6 KG
	GROSS (INCLUDING CARTON BOX)	16 KG	23.5 KG
DIMENSION (W X H X D) (MM)	WITHOUT STAND	787 X 502 X 101	1011 X 630 X 116
	WITH STAND	787 X 555 X 255	1011 X 689 X 308
	CARTON BOX	1030 X 735 X 230	1135 X 795 X 230
	WALL MOUNT	200 X 200	300 X 300
DETAILED EXPLANATION	*10 BIT (D) - 8 BIT + DITHERING ** ADAPTIVE CONTRAST RATIO *** GTG - GREY TO GREY **** MPRT - MOTION PICTURE RESPONSE TIME		

**Pvision** High Definition LCD TV

PLi Series-2 - 47" (119.38cm)



replicate reality

CATEGORY	DETAIL	PLI47THD-2
SERIES		PLI SERIES
SIZE		47"
DISPLAY	DIAGONAL SIZE	119.38 CM
	HDTV COMPATIBILITY	FULL HD
	ASPECT RATIO	16 : 9
	DISPLAY COLOUR	10 BIT (D)*
	BRIGHTNESS	500 CD/M <sup>2</sup>
	CONTRAST RATIO	100,000 : 1**
	VIEWING ANGLE	178° H / 178° V
	RESOLUTION	1920 (H) X 1080 (V)
	RESPONSE TIME	4*** / 6**** MS
	LAMP LIFE	100,000 HOURS
	PICTURE	VIDEO CAPABILITY
PICTURE MODE		DYNAMIC\STANDARD\SOFT\PERSONAL
VARIABLE ASPECT RATIO		16:9 \ 4:3 \ FULL \ MOVIE
SLEEP TIMER		YES
DIGITAL COMB FILTER		3D
FLESH TONE CORRECTION		YES
TV FUNCTION	TUNER	YES
	TV SYSTEM	PAL/SECAM BG/DK/K'/I/I'/L/L'
	RF SIGNAL	VHF,UHF,CATV
SOUND SYSTEM	AUDIO OUTPUT	10W X 2 (RMS) (10% THD)
	SOUND ENHANCEMENT	STANDARD\MUSIC\NEWS\PERSONAL
GENERAL FEATURES	MDS (MULTIMEDIA CARD SLOT)	NO
	USB (VIDEO, AUDIO & PHOTO)	YES
	OSD LANGUAGE	ENGLISH
INPUT TERMINALS	ANTENNA (RF)	1 REAR
	COMPOSITE - CVBS	1 REAR \ 1 SIDE
	COMPONENT (Y, PB, PR)	1 REAR
	HDMI - HDCP INTERFACE	2 REAR
	VGA - PC	1 REAR
	VGA STEREO AUDIO (MINI-JACK)	YES
	S-VIDEO + AUDIO (L / R)	1 REAR
	AUDIO (L / R)	1 REAR
OUTPUT TERMINALS	COMPOSITE	1 REAR
	AUDIO (L / R)	1 REAR
	HEADPHONE JACK	YES
	SUB-WOOFER	NO
POWER	REQUIREMENT	100 - 240V AC 50/60 HZ VIA
	WORKING CONSUMPTION	320W
	STANDBY CONSUMPTION	< 1W
ACCESSORIES	USER MANUAL	YES
	REMOTE CONTROL	YES
	BATTERIES	YES
WEIGHT (KG)	NET (WITHOUT STAND)	20.5 KG
	GROSS (INCLUDING CARTON BOX)	26.5 KG
DIMENSION (W X H X D) (MM)	WITHOUT STAND	1126 X 699 X 114
	WITH STAND	1126 X 760 X 114
	CARTON BOX	1270 X 875 X 255
	WALL MOUNT	400MM X 200MM
DETAILED EXPLANATION	*10 BIT (D) - 8 BIT + DITHERING ** ADAPTIVE CONTRAST RATIO *** GTG - GREY TO GREY **** MPRT - MOTION PICTURE RESPONSE TIME	

## THE NEW PLI SERIES-2

A Classic slim bezel design with a full gloss cabinet and the latest MStar M48 video processing solution are just part of what makes the new PLi Series unique.

The ability to handle VGA signals up to the native panel resolution and the multiple HDMI inputs bring it right to the forefront of the High Definition digital era. A USB input to listen to MP3 s. view your JPEG images or playback various video formats is provided.

The unit sports a black speaker grille which finishes off the cosmetic appeal with a touch of class.



# P Vision

High Definition LCD TV

www.pvision.tv

**Pvision** High Definition LCD TV

PLi Series-2 - 55" (139.7cm)

replicate reality



## THE NEW PLI SERIES-2

A Classic slim bezel design with a full gloss cabinet and the latest MStar M48 video processing solution are just part of what makes the new PLi Series unique.

The ability to handle VGA signals up to the native panel resolution and the multiple HDMI inputs bring it right to the forefront of the High Definition digital era. A USB input to listen to MP3 s. view your JPEG images or playback various video formats is provided.

The unit sports a black speaker grille which finishes off the cosmetic appeal with a touch of class.



# P Vision

High Definition LCD TV

www.pvision.tv

CATEGORY	DETAIL	PLI55THD-2
SERIES		PLI SERIES
SIZE		55"
DISPLAY	DIAGONAL SIZE	139.7 CM
	HDTV COMPATIBILITY	FULL HD
	ASPECT RATIO	16 : 9
	DISPLAY COLOUR	10 BIT (D)*
	BRIGHTNESS	500 CD/M <sup>2</sup>
	CONTRAST RATIO	100,000 : 1**
	VIEWING ANGLE	178° H / 178° V
	RESOLUTION	1920 (H) X 1080 (V)
	RESPONSE TIME	3*** / 5**** MS
	LAMP LIFE	100,000 HOURS
	PICTURE	VIDEO CAPABILITY
PICTURE MODE		DYNAMIC\STANDARD\SOFT\PERSONAL
VARIABLE ASPECT RATIO		16:9 \ 4:3 \ FULL \ MOVIE
SLEEP TIMER		YES
DIGITAL COMB FILTER		3D
FLESH TONE CORRECTION		YES
TV FUNCTION	TUNER	YES
	TV SYSTEM	PAL/SECAM BG/DK/K'/I/I'/L/L'
	RF SIGNAL	VHF,UHF,CATV
SOUND SYSTEM	AUDIO OUTPUT	10W X 2 (RMS) (10% THD)
	SOUND ENHANCEMENT	STANDARD\MUSIC\NEWS\PERSONAL
GENERAL FEATURES	MDS (MULTIMEDIA CARD SLOT)	NO
	USB (VIDEO, AUDIO & PHOTO)	YES
	OSD LANGUAGE	ENGLISH
INPUT TERMINALS	ANTENNA (RF)	1 REAR
	COMPOSITE - CVBS	1 REAR \ 1 SIDE
	COMPONENT (Y, PB, PR)	1 REAR
	HDMI - HDCP INTERFACE	2 REAR
	VGA - PC	1 REAR
	VGA STEREO AUDIO (MINI-JACK)	YES
	S-VIDEO + AUDIO (L / R)	1 REAR
	AUDIO (L / R)	1 REAR
OUTPUT TERMINALS	COMPOSITE	1 REAR
	AUDIO (L / R)	1 REAR
	HEADPHONE JACK	YES
	SUB-WOOFER	NO
POWER	REQUIREMENT	100 - 240V AC 50/60 HZ VIA
	WORKING CONSUMPTION	380W
	STANDBY CONSUMPTION	< 1W
ACCESSORIES	USER MANUAL	YES
	REMOTE CONTROL	YES
	BATTERIES	YES
WEIGHT (KG)	NET (WITHOUT STAND)	31 KG
	GROSS (INCLUDING CARTON BOX)	37.5 KG
DIMENSION (W X H X D) (MM)	WITHOUT STAND	1302 X 837 X 122
	WITH STAND	1302 X 900 X 122
	CARTON BOX	1460 X 1010 X 280
	WALL MOUNT	400MM X 400MM
DETAILED EXPLANATION	*10 BIT (D) - 8 BIT + DITHERING ** ADAPTIVE CONTRAST RATIO *** GTG - GREY TO GREY **** MPRT - MOTION PICTURE RESPONSE TIME	